







11.50 [292.1]

11.00 [279.4]

- 19.63 [498.5] -

OUTPUT VOLTAGE

STEPPER VOLTAGE REGULATOR

SSALU

Ø

Ø

®

NOTES:

THE REGULATOR COMPRISES A MOTOR DRIVEN VARIABLE AUTOTRANSFORMER, A BUCK—BOOST FIXED RATIO TRANSFORMER AND A MICROPROCESSOR BASED SOLID STATE CONTROL UNIT THAT AUTOMATICALLY POSITIONS THE AUTOTRANSFORMER TO HOLD THE OUTPUT VOLTAGE CONSTANT.

WAVEFORM DISTORTION — — — — — ZERO
FREQUENCY RANGE — — — — — 47Hz TO 63Hz
ACCURACY — — — — — — — ±1.0% #
INTERNAL IMPEDANCE — — — — EXTREMELY LOW PHASE SHIFT — — — — — NEGLIGIBLE

EFFICIENCY — — — — — — — APPROXIMATELY 98%

TEMPERATURE RANGE — — — — — 0°C (32°F) TO +50°C (122°F)

CONTROLS:

VOLTAGE METER: AN ANALOG 0-150 VAC METER IS PROVIDED TO READ THE OUTPUT VOLTAGE.

SET POINT: THIS POTENTIOMETER CONTROL IS ROTATED CLOCKWISE TO INCREASE THE OUTPUT VOLTAGE SET POINT AND COUNTERCLOCKWISE TO DECREASE THE OUTPUT VOLTAGE SET POINT.

CONTROL CIRCUIT SWITCH: THIS ILLUMINATED PUSHBUTTON SWITCH IS PROVIDED TO INDICATE THAT THE CONTROL UNIT IS OPERATING WHEN ILLUMINATED AND AS A RESET SWITCH FOR THE MICROPROCESSOR.

- # REGULATION IS $\pm 0.5\%$ FOR +6% THRU -10% OF THE INPUT VOLTAGE RANGE.
- * AT NOMINAL OUTPUT VOLTAGE. INPUT VOLTAGE RANGE (+7% TO -11%) SHIFTS PROPORTIONALLY WITH OUTPUT VOLTAGE SETTINGS.
- ++ INPUT RANGE IN VOLTS DIVIDED BY THE MOTOR DRIVE TRAVEL TIME IN SECONDS.

THE WOLLD BY THE WOLD BY THE WOLD BY									
	SINGLE PHASE 50/60Hz								
	NOMINAL	IN	PUT	MAXIMUN	и RATE	RATED		CORRECTION	
	OUTPUT	VOL	TAGE	OUTPUT	OUTP	UT	RATE		
	VOLTAGE	RAI	NGE*	AMPERE:	S (KVA	4) (V	(VOLTS/SECOND)++		D)++
	120	107-128		125	15		21		
UNLESS OTHERWISE SPECIFIED. TOLERANCE IS ± DECIMALS HOLES ANGLES DRAFT .XX .0406 .12 .002 1° 1-1/2° IN [mm] .XXX .005		SPEC. CONTROL DRAWING							
MATERIAL: ALL DIMENSIONS APPLY AFTER PLATING		† AUTO. VOLTAGE MODEL: SVR—		, , , , , ,	: REGULATO 12NBSN015		DAYTON, OHIO U.S.A.		
The information and design disclosed herein was originated by and is the property of STACO BNERGY PRODUCTS CO., which reserves all patent, proprietory, design, manufacturing, reproduction, use and sole rights thereto, and to any article disclosed therein except to the extent rights are expressly granted to others. The foregoing does not apply to vendor proprietary parts.			DRAWN BY S.A. SMITH	′ ′ ′	FIRST USED ON WEIGHT APPROX.	DO NOT SCALE DW	/G.	CUSTOMER APPROVAL DATE	
			CHECKER			CODE IDENT. 83008	NO. DWG. SIZE	095—´	000
			ENGINEER	DATE	.50=1	SHEET 1 OF	1 U	095-	000